

Product Updates

Purchase-to-Pay Release 26.1.2

Version:

Published version 1.0

16/06/2026

Table of Contents

1	Introduction	3
1.1	How to Use this Document	3
2	How & When Features Become Available	3
3	Browser Support	3
4	Release Highlights	3
5	Technical Action Required – On Prem customers	3
6	Defect	4
6.1	WebPMC SSO Access	4

1 Introduction

1.1 How to Use this Document

The product update offer brief, high-level descriptions of enhancements and new P2P features. They also include setup information, implementation tips to help you get started, and best practices to ensure your continued success.

2 How & When Features Become Available

Some features may affect all users immediately after the release goes live whilst other features require direct action by an administrator before users can benefit from the new functionality. Each feature listed within the release notes section will indicate the 'Availability' as either:

- Immediate
- Subject to Configuration

3 Browser Support

As a reminder, the latest version of the following browsers is supported:

- Google Chrome
- Mozilla Firefox
- Microsoft Edge

4 Release Highlights

This product update includes the following update:

- SSO Login Process: Security Enhancement

5 Technical Action Required – On Prem customers

As mentioned in a previous release, **due to changes to the internal signing of the executable, the new version of the Proactis Updater program must be manually installed to access the latest Proactis P2P updates when upgrading from versions prior to 25.1.** For hosted customers, this will be taken care of automatically.'

6 Defect

6.1 WebPMC SSO Access

Availability: Immediate

When a user attempts to access WebPMC via SSO, they are correctly redirected to the Identity Provider (IdP) and successfully authenticate.

However, when they navigate to `auth/Account/AssertionConsumerService`, an error is presented and access to the said url is not permitted. A resolution was implemented by updating the SSO authentication process to correctly validate user information against the configured data store, allowing users to successfully complete authentication and access WebPMC.